

Social epidemiology and determinants of health in Fiji: social, cultural, and environmental factors influencing public health status, climate change and rates of Leptospirosis

Tamara L Mangum¹, Brian P Mangum²

¹Professor of Medical Epidemiology and Disaster Risk Management, Fiji National University, Fiji

²Professor of Medicine and Medical Epidemiology, John A. Burns School of Medicine AHEC DDFT, University of Hawai'i

Correspondence: Tamara L Mangum, Professor of Medical Epidemiology and Disaster Risk Management, School of Public Health and Primary Care College of Medicine, Nursing, and Health Sciences, Fiji National University, Email tamara.mangum@fnu.ac.fj

Received: June 25, 2018 | **Published:** July 06, 2018

Copyright© 2018 Mangum et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Abstract

Social determinants of health play a major role in the development of sustainable healthcare systems in much of the Pacific. This includes Fiji, which is the largest of the Pacific island nations, and is in many ways a leader in health in the region. Despite this, Fiji, along with the entire Pacific, continues to labour under a heavy burden of both non-communicable, as well as communicable diseases, including emerging and re-emerging infectious diseases, such as leptospirosis, all of which is mediated by economic conditions and the growing threat of climate change. This monograph explores the social epidemiology of health determinants of health in Fiji from the standpoint of social, cultural, and environmental factors; before looking at the impact of such on public health systems and population health status, climate change and disease rates, and finally, the impact of such on the rising rates of leptospirosis regionally.

Keywords: social determinants, social epidemiology, Fiji, leptospirosis, public health, wealth distribution, food security, prejudice, climate, change, environmental health, infectious diseases

Social epidemiology and determinants of health in Fiji, the South Pacific

Fiji is an island nation located in the South Pacific east of Hawaii and north of Australia and New Zealand. With a population of just over 800,000,¹ Fiji is the largest population hub of the Pacific islands, and is the economic and educational centre of the South Pacific. With approximately 160 islands, the demographics, health, and public health status of Fiji varies widely from the urban centres of Suva, Sigatouka, Nadi, Lautoka, and Labasa; to the small, sparsely inhabited islands of the outer groups.¹ The bulk of the economy of Fiji is based on tourism, with the majority of resorts found on the larger islands, such as Viti Levu, which is home to the capital and largest city of Suva, as well as three of the other large population centres.¹

For a Pacific island nation, the healthcare and public health infrastructure of Fiji is highly developed; however, such development is below that of industrialized nations such as the United States. Still, Fiji is home to two medical schools, including the College of Medicine, Nursing, and Health Sciences of Fiji National University (FNU), and the University of the South Pacific; two nursing schools, one located within FNU, and an additional private nursing school; and a large number of allied health programs found within FNU, including dentistry, radiography, laboratory science, pharmacy, and public health at the undergraduate and graduate levels. The Ministry of Health (MOH) of Fiji is responsible for both medical and public health services. Fiji is serviced by a single referral and teaching

hospital in the form of Colonial War Memorial Hospital in Suva, and additional divisional hospitals in the major population centres, sub-divisional hospitals serving smaller communities, and nursing and medical posts in remote areas. Each division of the healthcare system is also supported by an associated division of the public health system. Despite a robust organizational structure, in practice there are significant areas for improvement in both the medical and public health spheres, including a lack of specially trained human resources in areas such as epidemiology and medical subspecialties, as well as the need for additional physical and economic resources for preventative services.

The purpose of this paper is to examine the generalized social determinants of health for Fiji as mediated by regional issues such as climate change and rapidly growing rates of non-communicable diseases (NCDs) such as type 2 diabetes, obesity, and cardiovascular disease through the lenses of physical and social factors present in the islands; and then to discuss how these factors have contributed to an ongoing burden of infectious diseases in the region, specifically leptospirosis, including a discussion of the impact of leptospirosis as mediated by cultural and social factors.

The role of social and environmental determinants of health in Fiji

As previously mentioned, the role of culture is highly important in Fiji for both indigenous Fijians as well as Indo-Fijians. So important is

the role of culture, that cultural holidays such as Diwali are celebrated as bank holidays, and are official days off from work and school. Given the role of the social environment in the lives of Fijians, it is not surprising then that the social environment also impacts the determinants of health in the country. The physical environment also plays a major role, given that Fiji consists of a large number of islands, both urban and rural centres, and both developed and developing areas in terms of economics, education, and so forth. This section will look at the role of social and environmental determinants of health in Fiji, including wealth distribution, education, the role of culture in the lives and opportunities of women and children, the role of prejudice in health, access to public health, access to housing and sanitation, as well as food and shelter security.

Wealth distribution in Fiji

Fiji is an economically developing country, with the bulk of the population living below the poverty line, or making less than \$8,000 FJD (Fijian dollars) per year.² Economic opportunities are scarce, with the largest sector of the economy, or nearly 60% being represented by the tourism sector (2006). The bulk of tourists come from Australia, New Zealand, North America, and increasingly China.²

Following the 2014 elections, Fiji has returned to a democratically elected government after a history of four coups dating to the 1970s turnover of power from Great Britain to local government.¹ In the run up to this election, and since then, there has been rapid economic development underpinned by investments from China as well as Australia, and to a lesser extent the United States.¹ The result is a widening income gap between a small but rapidly increasing upper class who control Western-style economic development projects; a small, but growing middle class of merchants and professionals, such as physicians and attorneys; and the large lower class who work in a variety of service industry occupations related to tourism, sales, domestic work, and so forth. Socioeconomic development opportunities, such as electricity and education for all areas of the country, have been promised by the newly elected government, and in theory will provide the opportunity for the lower and middle classes to grow in terms of wealth and access to services; however, things remain in the early stages post-election, and such development will require several years, if not a decade of more, to reach fruition.

Educational attainment and access in Fiji

Fiji provides education through grade school in most communities, including rural and isolated communities, and through high school in most urban centres. Beginning in 2013, school fees are paid by government, thus removing the economic strain felt by many families in having to pay school fees for multiple children, which in the past caused many children to miss entire years of school. Parents and caregivers must still pay for uniforms and school supplies, including book fees, which remains onerous for many families.

Tertiary education is available through Fiji National University, which provides business, law, engineering, health science, dentistry, and medical education among other programs. University of Fiji provides liberal arts schooling environment, including business, law, the arts, and recently a private medical school. University of the South Pacific, which is the largest tertiary provider in Fiji and the South Pacific, provides a broad-based program of study at the undergraduate and graduate level, including arts, sciences, and law; noticeably,

University of the South Pacific does not provide education in the health sciences or medicine. Most students do not attend university as private pay students, such as would be found in the United States, but compete for limited scholarships. A recent student loan program has been introduced, and the number of private pay students is increasing. From a development standpoint, it has yet to be seen whether increased access to education will increase social and economic opportunities, or whether it will result in a student loan issue similar to those found in the United States in an atmosphere where there are limited opportunities for graduates. In such an environment, many graduates work to go overseas to Australia or New Zealand on graduation.

The impact of culture on women and children in Fiji

A recent report found that two-thirds of all women and children living in the Pacific, including Fiji, have been abused (Fiji Ministry of Health [MOH], 2014a; WHO, 2011).^{3,4} The current culture of Fiji is changing to allow for greater opportunities for women, particularly those coming from urban centres, but in rural areas women remain subservient in terms of economic and social opportunities. In indigenous Fijian villages the village chief and counsel are all males; and hence all decisions at the local level are governed by the patriarchy, with women not being allowed to enter the village hall or speak.⁵ Women are largely responsible for the preparation of food, gathering of fire wood, raising of children, and the maintenance of the home.^{5,6} Indo-Fijian culture is similar, with women being primarily responsible for the maintenance of the home and the care of the children. A common statement among Indo-Fijian fathers is that daughters are a *blessed burden*.⁶

In urban areas, abuse continues, but there are opportunities for women to be involved in the social and economic hierarchy of life: attending university, holding important positions in government and industry, such as serving as the dean of a college or the head of the South Pacific Stock Exchange, serving as members of the newly reinstated parliament, and altering the social dynamic slowly so that women are attaining success and respect.⁷ However, just as economic development post-2104 elections will take time to demonstrate improvement, so will the associated gains of women in terms of economic and social opportunities to excel and lead.

The role of prejudice in health

Given the socioeconomic history of Fiji under British rule, including the importation of Indians from India for slave and indentured labour in sugar cane plantations, who subsequently stayed on and have become a significant political and economic force in the country, even leading one of the four coups, it is not surprising that there is a level of prejudice which influences health and access to healthcare services. Indo-Fijians have long been members of Fijian society. The population is the second largest in Fiji,² having grown significantly since their beginnings as slave and indentured labourers. Indo-Fijians have risen to high levels of government, have been involved in politics, including leading one of the four coups, and have risen to high levels in commerce and education. Despite this, there is significant prejudice against Indo-Fijians by indigenous Fijians, including limitations on citizenship, property and business ownership, and inheritance.¹ All such restrictions have been removed legally from the system, and in the post-2014 democratic systems Indo-Fijians serve as ministers and parliamentarians; yet, a system of prejudice does remain under the surface.

Other prejudices exist against those with certain medical conditions, including HIV/AIDS patients, including limitations on access to care, outright fear of the disease and its impact on the population, cultural taboos, and a widespread association of HIV/AIDS with the homosexual population of Fiji.²

Quality of housing and sanitation in Fiji

The quality of housing varies widely. Those living in the upper middle class and upper class live in quality homes with access to Western-style sanitation, electricity, clean water, gardens, and a variety of domestic servants who are available for inexpensive rates. At the other end of the spectrum are those living below the poverty line in urban centres in what are known as squatter settlements. Squatter settlements are located on Crown land which is unoccupied except for villages composed of scrap lumber and corrugated iron which seem to crop up overnight in major centres such as Suva. Electricity and clean water are generally not available through government services; rather, relying on tapped power and well lines which amount to stolen water and electricity from municipal sources.⁸ In rural areas villages generally have access to water from traditional sources, such as wells and rivers, and may or may not have electricity access.² For those which have electricity, it is on a pay-as-you-go system, similar to prepaid mobile phones. In many ways, the quality of housing in rural areas is higher, as is the quality of sanitation.

Food security in Fiji

A recent report suggests that a large number of women and children in Fiji are malnourished, while at the other end of the spectrum is the issue with obesity.^{9,10} In rural areas infants are frequently identified as suffering from failure to thrive; although, the relative lack of access to healthcare and screening in rural areas limits treatment options.¹⁰ During a recent medical civil affairs survey of a rural village, large numbers of anaemic women, asthma, untreated osteoporosis and osteoarthritis, were all identified within ten kilometres of a rural hospital; however, villagers stated that even that was considered too far to travel, despite access to bus service, and thus individuals were simply expected to bear their disabilities with good humour.

Food security need not be an issue in rural areas where access to land for planting of crops such as dalo, kasava, fruits, and vegetables is readily obtainable, if the land is worked. However, in urban areas families living below the poverty line must pay higher prices, particularly in the capital of Suva—which is home to embassies, the United Nations, the World Health Organization, the Secretariat of the Pacific Community, the European Union, and so forth—prices are very high owing to competition for quality goods by the growing upper classes and expatriate population. As such, coconuts which go for less than \$1 FJD in rural areas, will cost \$2-3 FJD. A similar situation is seen in areas such as Nadi and Lautoka, the tourist hubs of the country, where tourist prices make things overly expensive for the local population, which has not seen a concomitant raise in wages. Thus, to an extent urbanization and economic growth is providing opportunities for only a small percentage of the population, while the lower socioeconomic classes suffer under inflation.

Public health status of Fiji

Public health services are handled by the Ministry of Health, with the advantage/disadvantage of being co-located alongside the medical

system. This is an advantage in that the financial and human resources decisions that impact the allocation of resources for both public health and medical services are made by the same key stakeholders; while at the same time, in a country and region where non-communicable diseases (NCD) threaten to overwhelm response capabilities, public health is often seen as secondary in the face of meeting the immediate medical needs of patients who require care for type 2 diabetes, cancer, and so forth. While it would seem apparent that greater public health interventions would lead to lower rates of NCDs, the Ministry of Health is in the difficult situation of meeting the acute needs of a population while also planning for long-term care and prevention in a resource limited environment.

Dual role of medical management and outbreaks

There is no shortage of healthcare providers, with two in-country medical schools, as well as allied health disciplines; however, what is limited is access to advanced training and care.¹⁰ Local primary care clinics are run as part of the public health system, with health promotion officers and environmental health officers part of this system; however, their budgets and ability to effect real change are limited. For example, a 2014 outbreak of typhoid fever in the small village of Wailoku, located just outside of the capital of Suva, which resulted in several fatalities, went unnoticed until accidentally discovered during an in-hospital surveillance sweep for leptospirosis. The results were swift and definitive in terms of the response by public health authorities; however, had it not been for a non-associated surveillance program identifying cases on different wards from Wailoku, then the outbreak would have continued unchecked and more deaths would have occurred.

Physical and environmental factors influencing public health in Fiji

A growing association between the physical environment and health is recognized in Fiji and throughout the Pacific. This includes an understanding of the association between urbanization, economic growth in Asia, and the resultant issues associated with climate change and the emergence and re-emergence of both NCDs and infectious diseases as ongoing threats to the threat security of the region. This section will look at issues related to climate, drought and climate change, and the role of environmental changes in the incidence of NCDs.

Climate, climate change, and disease rate

Fiji has a year-round tropical climate subject to changes in weather patterns, such as a rainy and a dry season, as mediated by droughts as well as flooding; often times, Fiji will experience disparate weather patterns, including droughts in the Western regions which have a climate similar to Southern California, to monsoon-style weather in the Eastern regions similar to that found in Darwin in central north Australia.¹⁰ These seasonal variations are expected, and in terms of their impact on health can be managed through experience, including an increase in febrile zoonotic illnesses, such as leptospirosis, dengue, and typhoid, during times of heavy rains and flooding, to increased cases of asthma, heat stroke, and so forth associated with the dryer times of the year.

However, growing concerns over the impact of climate change as well as weather patterns associated with El Niño and La Niña, suggest

that non-cyclical climate patterns may result in disease rates which are more difficult to manage from either a direct medical or public health preventative standpoint given the limited resources available in Fiji.¹¹ NCDs and climate change are interlinked through an increase in pollution—which is a significant problem in the urbanized areas of Fiji where unregulated economic growth has resulted in pollution from busses, taxis, and other modes of transportation and economic development—resulting in higher rates of cardiovascular disease, lung disease, and even certain forms of cancer.^{12,13}

It should also be noted that as climate change increased the number of atmospheric events associated with floods and tsunamis that the incidence of vector-borne illnesses will also increase owing to increased breeding opportunities for mosquitoes and other vectors. At the other end of the spectrum, Fiji and many other Pacific island nations are now experiencing droughts, which have caused economic hardship through the loss of agricultural animals, such as cows, and the loss of crops.¹⁰ The result has been an increase in economic pressure on farmers and ranchers, as well as those who must now purchase agricultural products at an increased rate.

International relationship between climate change and health

In terms of the relationship between these factors and their influence on health at the local and international level, it is important to note that while local factors, including increased urbanization and economic development, have impacted rates of both NCDs and infectious diseases, that the development of such is largely rooted in multinational issues related to rapid and largely unregulated international development in both the Americas as well as Asia. In regard to the Pacific, such is primarily rooted in the development of the Chinese economy within China, within the Pacific Rim countries influenced by Chinese economic and development policy, and locally within Fiji.

Chinese development has been associated with climate change, including the increased use of coal and other fossil fuels in the manufacturing of goods for export and sale overseas.^{14,15} The increased use of fossil fuels is associated with increased climate change, which in turn is associated with an increase in both infectious and chronic diseases.^{12,16} Locally, the impact is seen in two ways: an increase in atmospheric events off-cycle from normal weather patterns as events such as El Niño and La Niña; and an increased emphasis of China on using the Pacific as a de facto spot to wage economic colonialism and an economic version of the Cold War against the United States, Australia, New Zealand, Europe, which to a great extent of long neglected their political and economic support of regional nations such as Fiji. This is coupled with economic investments in Fiji and the Pacific in the form of hospitals, roads, infrastructure, as well as economic projects, such as hotels, apartment buildings, construction firms, and large-scale agricultural production for the region.^{17,18} The result being that not only is there a local increase in NCDs and infectious diseases from climate change associated with China as a superpower of world commerce, but also locally through urbanization and the impact of climate and environment—such as an increase in asthma, chronic obstructive pulmonary disease (COPD) and other issues associated with air quality, and increased encroachment of development into areas previously remaining in a natural habitat, but with which has come increased exposure to zoonotic vectors of disease, such as mosquitoes and fruit bats.¹⁹

The role of Leptospirosis on public health in Fiji

One significant area of concern in relation to the local and international impacts of the social, economic, political, and climate change environment on the health security of Fiji is the emergence and re-emergence of infectious illnesses. This includes leptospirosis. Leptospirosis is one of the acute febrile illnesses common in tropical countries.²⁰ As a zoonotic, Leptospirosis is spread through the infected urine of cows, dogs, cats, rats, and possibly other animals.²¹ Leptospirosis is generally spread in Fiji following periods of intense rainfall and flooding through agricultural pursuits, or coming in contact with water that contains urine from infected animals. Farmers and those living in rural areas, where leptospirosis rates are highest, rarely wear shoes or rubber irrigation boots, and thus can become infected through cuts or sores in their feet or legs.²²

Public health campaigns to address leptospirosis should focus on health education at the local level, as barrier protection, such as wearing protective footwear is effective against the acquisition of leptospirosis; as well as efforts to develop a vaccine to address not only human cases of leptospirosis, but also bovine cases, as there is a significant economic cost associated with cows who are infected, given that mother cows with leptospirosis have high levels of spontaneous abortions. Other efforts should look at policy-level interventions to target climate change and disaster preparedness efforts, given that climate-associated events traditionally result in an increase of cases each year in Fiji following not only the rainy season, but also floods associated with increased severe rainfall, tsunamis, and cyclones.

Social determinants of Leptospirosis

The social determinants of leptospirosis are associated with two areas: first, a lack of education and a lack of health literacy on the part of populations who are at risk for leptospirosis; and two, a lack of economic ability to purchase and utilize barrier protection in the form of rubber irrigation boots by farmers and those working in areas where exposure to infected cow and other urine is present.

There is a lack of education on the risks of leptospirosis in rural areas where the rates of the disease are highest in Fiji, such as the Nausori corridor which has high rates associated with dairy farming. Furthermore, before such education can occur, there is a need to develop the health literacy of the population in at-risk areas, so as to allow them to understand the risks and prevention of leptospirosis. Such could take the form of a public health education campaign using text messages, which are widely used even in rural areas; local churches and community organization, and local shops, since every small community has these; and finally, using cultural and language specific educational materials that are written at an appropriate level for understanding. However, such cannot succeed unless it is accompanied by an intervention to provide access to the most common preventative aid: rubber irrigation boots, which are not widely used, available in rural areas, and expensive.

Providing education and access to irrigation boots would overcome the social barriers to the prevention of leptospirosis in rural Fiji. Access would need to be provided through partner grant agencies, such as the European Union or the Australian Agency for International Development either as an outright gift or through subsidized purchase. Before proceeding to the provision of boots, and under a model similar to that of the Health Belief Model (HBM), it is important that

the health education campaign provide significant awareness and self-efficacy that the boots will actually be utilized.

The impact of global public health on Leptospirosis in Fiji

Global public health has a significant role to play in leptospirosis surveillance and eradication efforts in Fiji and the Pacific. This includes: efforts and partnerships to increase surveillance; identification of areas where eradication of dogs and rats as carriers is needed; identification of areas where treatment of cows would be an effective economic intervention; identification of areas where human education and treatment would be effective; identification of areas where data on serotypes for vaccine development can be gathered; and finally, the development of a vaccine in concert with multinational organizations.

Currently, there is an ongoing regional project between Fiji National University, University of Queensland, the Fiji Ministry of Health, the Fiji Centres for Disease Control, and the Institut Pasteur to address these issues. It should be noted that this is a multipronged effort designed to address immediate economic and healthcare-related needs, through surveillance to identify human populations that are in need of treatment, and may have been misdiagnosed as having dengue, as well as bovine treatment to lessen the cost associated with spontaneous abortions of cows. The surveillance data is also being used to identify areas for health education efforts, eradication of dogs and rats through trapping and euthanizing, as well as testing which serotypes are most prevalent and hence would most likely respond to a vaccine in the next decade. Because this is a multinational effort, it brings to bear the different talents and resources of agencies both inside and outside of Fiji, and takes into account the social and cultural determinants of the disease at the local level.

Conclusion

Health and development in the Pacific, and in particular, Fiji, are inexorably linked. Without development, given the rapidly changing economic landscape, there cannot be the socioeconomic and political infrastructure needed to support healthy lifestyle choices among a population which is still largely economically disenfranchised, with lower levels of educational development and political enfranchisement, than other middle- and high-income nations. This leads to situations of rapidly growing rates of NCDs, as well as emerging and re-emerging communicable diseases such as Leptospirosis, which themselves are influenced by climate change as a mediator of zoonosis, and whose prevalence rates are largely impacted by social determinants of health, such as the ability to make healthy lifestyle choices, given limiting financial circumstances. As such, there is not just a need to focus on meeting the immediate medical needs of a population plagued by this dual burden of disease; but also to look to the future in terms of an integrated population-based approach that takes into account the need for sustainable development focused on engaging Fijians at all economic levels, and not simply on economic development that benefits a relatively small percentage of the population, as well as outside investors and nation state actors. Such presents an immediate challenge to a system of development that silos different economic sectors, such as education, health, disaster risk management, climate change, and so forth. Without an integrated approach that looks at development as a cross-cutting issue focused on immediate and long-term needs, there can be no change in the rates of disease which currently plague Fiji at both endemic and epidemic levels.

References

1. Central Intelligence Agency. The World Factbook. <https://www.cia.gov/library/publications/the-world-factbook/geos/fj.html>. Published 2014.
2. Australian Agency for International Development. *Fiji Health Sector Improvement Program – Senior Technical Adviser Public Health and Health Promotion Assignment Completion Report*. Suva, Fiji: Ministry of Health; 2006.
3. Fiji Ministry of Health. Archives. <http://www.health.gov.fj/archives.html#VEWavldQD4I>. Published 2014.
4. World Health Organization. The Fiji Island health systems review.
5. Henrich J, Broesch J. On the nature of cultural transmission networks: evidence from Fijian villages for adaptive learning biases. *Philos Trans R Soc Lond B Biol Sci*. 2011;366(1567):1139–1148.
6. Yabaki T. Women's life in a Fijian village. 2006.
7. Lazarus-Black M. Human Rights & Gender Violence: Translating International Law into Local Justice. By Sally Engle Merry. *Law Soc Rev*. 2006;40(4):979–981.
8. Fiji Ministry of Health. Public health. <http://www.health.gov.fj/categories/public-health.html>. Published 2014
9. Cornelius M, De Courten M, Pryor J, et al. Fiji Non-Communicable Diseases (NCD) STEPS Survey Report. *Ed Organ WH Suva Fiji Minist Health*. 2002:22–29.
10. Sharma N. *Non-Communicable Disease Step Survey*. Suva, Fiji: World Health Organization Western Pacific Region Country Office; 2002.
11. Fiji Ministry of Health. Map of healthcare facilities in Fiji. <http://www.health.gov.fj/locate-us.html#VEWbhFdQD4I>. Published 2014.
12. Brownson RC, Remington PL, Davis JR. *Chronic Disease Epidemiology and Control*. 2nd ed. Washington, DC: American public health association; 1998.
13. Friel S, Bowen K, Campbell-Lendrum D, Frumkin H, McMichael AJ, Rasanathan K. Climate change, noncommunicable diseases, and development: the relationships and common policy opportunities. *Annu Rev Public Health*. 2011;32:133–147.
14. Lobban CS, Scheffter M. *Tropical Pacific Island Environments*. Island Environments Book; 1997.
15. Gostin L. *Public Health Law: Duty, Power, Restraint*. Berkeley: University of California Press; 2008.
16. Moeller DW. *Environmental Health*. Cambridge, MA: Harvard University Press; 2005.
17. Dreher A, Fuchs A, Parks B, Strange AM, Tierney MJ. Aid, China, and growth: Evidence from a new global development finance dataset. 2017.
18. Waqabaca C. *Financial Development and Economic Growth in Fiji*. Economics Department, Reserve Bank of Fiji; 2004.
19. Ali MK, Jaacks LM, Kowalski AJ, Siegel KR, Ezzati M. Noncommunicable diseases: three decades of global data show a mixture of increases and decreases in mortality rates. *Health Aff (Millwood)*. 2015;34(9):1444–1455.
20. Victoriano AFB, Smythe LD, Gloriani-Barzaga N, et al. Leptospirosis in the Asia Pacific region. *BMC Infect Dis*. 2009;9(1):147.
21. Centres for Disease Control and Prevention. Leptospirosis. <https://www.cdc.gov/leptospirosis/>. Published 2013.
22. Lau CL, Smythe LD, Craig SB, Weinstein P. Climate change, flooding, urbanisation and leptospirosis: fuelling the fire? *Trans R Soc Trop Med Hyg*. 2010;104(10):631–638.